

DUCTILE IRON GROOVED FITTINGS FOR FIRE FIGHTING APPLICATIONS

RETAIL PRICE LIST 5007 W.E.F. JUNE 01,2026

Rigid Coupling	Size (Inch)	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
XGQT 1	Dimensions (mm)	33.7 mm	42.4 mm	48.3 mm	60.3 mm	76.1 mm	88.9 mm	114.3 mm	139.7 mm	165.1 mm	219.1 mm	273 mm	323.9 mm
	Price	418	429	464	542	615	725	912	1277	1446	2964	5753	7983
Flexible Coupling	Size (Inch)	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
XGQT 2	Dimensions (mm)	33.7 mm	42.4 mm	48.3 mm	60.3 mm	76.1 mm	88.9 mm	114.3 mm	139.7 mm	165.1 mm	219.1 mm	273 mm	323.9 mm
	Price	418	432	464	553	622	724	928	1366	1501	3064	6523	8684
Reducing Coupling	Size (Inch)	2" x 1 1/2"	2 1/2" x 1 1/2"	2 1/2" x 2"	3" x 1 1/2"	3" x 2"	3" x 2 1/2"	4" x 1 1/2"	4" x 2"	4" x 2 1/2"	4" x 3"	6" x 4"	
XGQT 2B	Dimensions (mm)	60.3 x 48.3	76.1 x 48.3	76.1 x 60.3	88.9 x 48.3	88.9 x 60.3	88.9 x 76.1	114.3 x 48.3	114.3 x 60.3	114.3 x 76.1	114.3 x 88.9	165.1 x 114.3	
	Price	782	930	930	1277	1277	1277	1465	1465	1465	1465	3234	
Concentric Reducer Grooved Outlet	Size (Inch)	1 1/4" x 1"	1 1/2" x 1"	1 1/2" x 1 1/4"	2" x 1"	2" x 1 1/4"	2" x 1 1/2"	2 1/2" x 1"	2 1/2" x 1 1/4"	2 1/2" x 1 1/2"	2 1/2" x 2"	3" x 1"	3" x 1 1/4"
	Dimensions (mm)	42.4 x 33.7	48.3 x 33.7	48.3 x 42.4	60.3 x 33.7	60.3 x 42.4	60.3 x 48.3	76.1 x 33.7	76.1 x 42.4	76.1 x 48.3	76.1 x 60.3	88.9 x 33.7	88.9 x 42.4
XGQT 07	Price	299	313	313	384	384	384	396	396	396	396	646	646
	Size (Inch)	3" x 1 1/2"	3" x 2"	3" x 2 1/2"	4" x 2"	4" x 2 1/2"	4" x 3"	5" x 2"	5" x 3"	5" x 4"	6" x 2"	6" x 2 1/2"	6" x 3"
	Dimensions (mm)	88.9 x 48.3	88.9 x 60.3	88.9 x 76.1	114.3 x 60.3	114.3 x 76.1	114.3 x 88.9	139.7x60.3	139.7x88.9	139.7 x 114.3	165.1 x 60.3	165.1 x 76.1	165.1 x 88.9
	Price	646	646	646	872	872	872	1320	1320	1320	1711	1711	1711
	Size (Inch)	6" x 4"	6" x 5"	8" x 2"	8" x 2 1/2"	8" x 3"	8" x 4"	8" x 5"	8" x 6"	10" x 4"	10" x 5"	10" x 6"	10" x 8"
	Dimensions (mm)	165.1 x 114.3	165.1 x 139.7	219.1 x 60.3	219.1 x 76.1	219.1 x 88.9	219.1 x 114.3	219.1 x 139.7	219.1 x 165.1	273 x 114.3	273 x 139.7	273 x 165.1	273 x 219.1
	Price	1711	1711	2685	2685	2685	2685	2685	2685	4950	4950	4950	5187
	Size (Inch)	12" x 6"	12" x 8"	12" x 10"									
	Dimensions (mm)	323.9 x 165.1	323.9 x 219.1	323.9 x 273									
	Price	8428	8428	8428									
Concentric Reducer Threaded Outlet	Size (Inch)	1 1/4" x 1"	1 1/2" x 1"	1 1/2" x 1 1/4"	2" x 1"	2" x 1 1/4"	2" x 1 1/2"	2 1/2" x 1"	2 1/2" x 1 1/4"	2 1/2" x 1 1/2"	2 1/2" x 2"	3" x 1"	3" x 1 1/4"
	Dimensions (mm)	42.4 x 33.7	48.3 x 33.7	48.3 x 42.4	60.3 x 33.7	60.3 x 42.4	60.3 x 48.3	76.1 x 33.7	76.1 x 42.4	76.1 x 48.3	76.1 x 60.3	88.9 x 33.7	88.9 x 42.4
XGQT 07S	Price	179	245	245	384	384	384	470	470	470	470	564	564
	Size (Inch)	3" x 1 1/2"	3" x 2"	4" x 1"	4" x 1 1/4"	4" x 1 1/2"	4" x 2"	6" x 1"	6" x 1 1/4"	6" x 1 1/2"	6" x 2"		
	Dimensions (mm)	88.9 x 48.3	88.9 x 60.3	114.3 x 33.7	114.3 x 42.4	114.3 x 48.3	114.3 x 60.3	165.1 x 33.7	165.1 x 42.4	165.1 x 48.3	165.1 x 60.3		
	Price	564	564	804	804	804	804	1865	1865	1865	1865		

Elbow 90	Size (Inch)	1"	1 ¹ / ₄ "	1 ¹ / ₂ "	2"	2 ¹ / ₂ "	3"	4"	5"	6"	8"	10"	12"
XGQT 01	Dimensions (mm)	33.7 mm	42.4 mm	48.3 mm	60.3 mm	76.1 mm	88.9 mm	114.3 mm	139.7 mm	165.1 mm	219.1 mm	273 mm	323.9 mm
	Price	351	426	475	604	707	897	1385	1998	2738	5368	12967	16181
XGQT 02	Dimensions (mm)	33.7 mm	42.4 mm	48.3 mm	60.3 mm	76.1 mm	88.9 mm	114.3 mm	139.7 mm	165.1 mm	219.1 mm	273 mm	
	Price	390	411	442	539	621	766	1326	1980	2610	5368	10984	
11.25° ELBOW	Size (Inch)	1"	1 ¹ / ₄ "	1 ¹ / ₂ "	2"	2 ¹ / ₂ "	3"	4"	5"	6"	8"	10"	12"
XGQT022	Dimensions (mm)	33.7 mm	42.4 mm	48.3 mm	60.3 mm	76.1 mm	88.9 mm	114.3 mm	139.7 mm	165.1 mm	219.1 mm	273 mm	323.9 mm
	Price				564	834	909	1300	1963	2472	5942		
22.5° ELBOW	Size (Inch)	1"	1 ¹ / ₄ "	1 ¹ / ₂ "	2"	2 ¹ / ₂ "	3"	4"	5"	6"	8"	10"	12"
XGQT021	Dimensions (mm)	33.7 mm	42.4 mm	48.3 mm	60.3 mm	76.1 mm	88.9 mm	114.3 mm	139.7 mm	165.1 mm	219.1 mm	273 mm	323.9 mm
	Price				527	773	909	1508	1963	3050	6473		
Adaptor Flange	Size (Inch)	1"	1 ¹ / ₄ "	1 ¹ / ₂ "	2"	2 ¹ / ₂ "	3"	4"	5"	6"	8"	10"	12"
XGQT 08	Dimensions (mm)	33.7 mm	42.4 mm	48.3 mm	60.3 mm	76.1 mm	88.9 mm	114.3 mm	139.7 mm	165.1 mm	219.1 mm	273 mm	323.9 mm
	Price				1040	1537	1706	2002	2718	2748	4640	9699	13843
Grooved Flange	Size (Inch)	1"	1 ¹ / ₄ "	1 ¹ / ₂ "	2"	2 ¹ / ₂ "	3"	4"	5"	6"	8"	10"	12"
XGQT 18	Dimensions (mm)	33.7 mm	42.4 mm	48.3 mm	60.3 mm	76.1 mm	88.9 mm	114.3 mm	139.7 mm	165.1 mm	219.1 mm	273 mm	323.9 mm
	Price				1066	1314	1420	1966	2674	2912	5838		

DUCTILE IRON GROOVED FITTINGS FOR FIRE FIGHTING APPLICATIONS

RETAIL PRICE LIST 5007 W.E.F. JUNE 01,2026

Equal Tee	Size (Inch)	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
XGQT 03	Dimensions (mm)	33.7 mm	42.4 mm	48.3 mm	60.3 mm	76.1 mm	88.9 mm	114.3 mm	139.7 mm	165.1 mm	219.1 mm	273 mm	323.9 mm
	Price	460	515	627	802	952	1243	1826	3184	4290	8714	17748	26367
Reducing Tee Grooved Outlet	Size (Inch)	2 1/2" x 2"	3" x 2"	3" x 2 1/4"	4" x 2"	4" x 2 1/4"	4" x 3"	5" x 4"	6" x 2"	6" x 2 1/2"	6" x 3"	6" x 4"	6" x 5"
	Dimensions (mm)	76.1 x 60.3	88.9 x 60.3	88.9 x 76.1	114.3 x 60.3	114.3 x 76.1	114.3 x 88.9	139.7 x 114.3	165.1 x 60.3	165.1 x 76.1	165.1 x 88.9	165.1 x 114.3	165.1 x 139.7
XGQT 04		Price	1233	1542	1542	2269	2269	2269	3350	4951	4951	4951	4951
Size (Inch)		8" x 3"	8" x 4"	8" x 5"	8" x 6"	10" x 4"	10" x 5"	10" x 6"	10" x 8"	12" x 6"	12" x 8"	12" x 10"	
Dimensions (mm)		219.1 x 88.9	219.1 x 114.3	219.1 x 139.7	219.1 x 165.1	273 x 114.3	273 x 139.7	273 x 165.1	273 x 219.1	323.9 x 165.1	323.9 x 219.1	323.9 x 1273	
Price		10148	10148	10148	10148	19182	19182	19182	19182	34947	34947	34947	
ReducingTee Threaded Outlet	Size (Inch)	2" x 1"	2" x 1 1/4"	2" x 1 1/2"	2 1/2" x 1"	2 1/2" x 1 1/4"	2 1/2" x 1 1/2"	2 1/2" x 2"	3" x 1"	3" x 1 1/4"	3" x 1 1/2"	3" x 2"	4" x 1"
	Dimensions (mm)	60.3 x 33.7	60.3 x 42.4	60.3 x 48.3	76.1 x 33.7	76.1 x 42.4	76.1 x 48.3	76.1 x 60.3	88.9 x 33.7	88.9 x 42.4	88.9 x 48.3	88.9 x 60.3	114.3 x 33.7
XGQT 04S		Price	1049	1049	1049	1233	1233	1233	1233	1542	1542	1542	2269
Size (Inch)		4" x 1 1/4"	4" x 1 1/2"	4" x 2"	6" x 1"	6" x 1 1/4"	6" x 1 1/2"	6" x 2"					
Dimensions (mm)		114.3 x 42.4	114.3 x 48.3	114.3 x 60.3	165.1 x 33.7	165.1 x 42.4	165.1 x 48.3	165.1 x 60.3					
Price		2269	2269	2269	4951	4951	4951	4951					
Equal Cross	Size (Inch)	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
XGQT 05	Dimensions (mm)	33.7 mm	42.4 mm	48.3 mm	60.3 mm	76.1 mm	88.9 mm	114.3 mm	139.7 mm	165.1 mm	219.1 mm	273 mm	323.9 mm
	Price	524	574	734	1291	1738	2307	3125	4522	5571	11317	25586	38717
Reducing Cross Grooved Outlet	Size (Inch)	4" x 2"	4" x 2 1/2"	4" x 3"	6" x 2"	6" x 2 1/2"	6" x 3"	6" x 4"	8" x 4"	8" x 6"			
	Dimensions (mm)	114.3 x 60.3	114.3 x 76.1	114.3 x 88.9	165.1 x 60.3	165.1 x 76.1	165.1 x 88.9	165.1 x 114.3	219.1 x 114.3	219.1 x 165.1			
XGQT 051		Price	3721	3721	3721	6537	6537	6537	6537	11337	11337		
END CAP	Size (Inch)	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
XGQT 06	Dimensions (mm)	33.7 mm	42.4 mm	48.3 mm	60.3 mm	76.1 mm	88.9 mm	114.3 mm	139.7 mm	165.1 mm	219.1 mm	273 mm	323.9 mm
	Price	143	176	213	290	372	430	617	962	1432	2085	3439	7707
U - Bolt Mechanical Tee	Size (Inch)	1" x 1/2"	1" x 3/4"	1 1/4" x 1/2"	1 1/4" x 3/4"	1 1/4" x 1"	1 1/2" x 1/2"	1 1/2" x 3/4"	1 1/2" x 1"	2" x 1/2"	2" x 3/4"	2" x 1"	2 1/2" x 1/2"
	Dimensions (mm)	33.7*21	33.7*26	42.4*21	42.4*26	42.4*33.7	48.3*21	48.3*26	48.3*33.7	60.3*21	60.3*26	60.3*33.7	76.1*21
XGQT 3U		Price	393	393	414	414	414	434	434	434	480	480	535
Size (Inch)		2 1/2" x 3/4"	2 1/2" x 1"										
Dimensions (mm)		76.1*26	76.1*33.7										
Price		535	535										

DUCTILE IRON GROOVED FITTINGS FOR FIRE FIGHTING APPLICATIONS

RETAIL PRICE LIST 5007 W.E.F. JUNE 01,2026

Mechanical Tee Grooved Outlet	Size (Inch)	2" x 1"	2" x 1 1/4"	2" x 1 1/2"	2 1/2" x 1"	2 1/2" x 1 1/4"	2 1/2" x 1 1/2"	2 1/2" x 2"	3" x 1"	3" x 1 1/4"	3" x 1 1/2"	3" x 2"	3" x 2 1/2"
	Dimensions (mm)	60.3 x 33.7	60.3 x 42.4	60.3 x 48.3	76.1 x 33.7	76.1 x 42.4	76.1 x 48.3	76.1 x 60.3	88.9 x 33.7	88.9 x 42.4	88.9 x 48.3	88.9 x 60.3	88.9 x 76.1
XGQT 3	Price	624	624	624	797	797	797	797	1085	1085	1085	1085	1085
	Size (Inch)	4" x 1"	4" x 1 1/4"	4" x 1 1/2"	4" x 2"	4" x 2 1/2"	4" x 3"	5" x 3"	5" x 4"	6" x 1"	6" x 1 1/4"	6" x 1 1/2"	6" x 2"
	Dimensions (mm)	114.3 x 33.7	114.3 x 42.4	114.3 x 48.3	114.3 x 60.3	114.3 x 76.1	114.3 x 88.9	139.7 x 88.9	139.7 x 114.3	165.1 x 33.7	165.1 x 42.4	165.1 x 48.3	165.1 x 60.3
	Price	1441	1441	1441	1511	1511	1544	1901	1901	1921	1921	1921	2067
	Size (Inch)	6" x 2 1/2"	6" x 3"	6" x 4"	8" x 2"	8" x 2 1/2"	8" x 3"	8" x 4"					
	Dimensions (mm)	165.1 x 76.1	165.1 x 88.9	165.1 x 114.3	219.1 x 60.3	219.1 x 76.1	219.1 x 88.9	219.1 x 114.3					
	Price	2067	2067	2328	3213	3213	3213	3213					
Mechanical Tee Threaded Outlet	Size (Inch)	2" x 1/2"	2" x 3/4"	2" x 1"	2" x 1 1/4"	2" x 1 1/2"	2 1/2" x 1/2"	2 1/2" x 3/4"	2 1/2" x 1"	2 1/2" x 1 1/4"	2 1/2" x 1 1/2"	2 1/2" x 2"	3" x 1/2"
	Dimensions (mm)	60.3*21	60.3*26	60.3 x 33.7	60.3 x 42.4	60.3 x 48.3	76.1*21	76.1*26	76.1 x 33.7	76.1 x 42.4	76.1 x 48.3	76.1 x 60.3	88.9 x 21.3
XGQT 3S	Price	624	624	624	624	624	802	802	761	761	761	761	1010
	Size (Inch)	3" x 3/4"	3" x 1"	3" x 1 1/4"	3" x 1 1/2"	3" x 2"	4" x 1"	4" x 1 1/4"	4" x 1 1/2"	4" x 2"	6" x 1"	6" x 1 1/4"	6" x 1 1/2"
	Dimensions (mm)	88.9 x 26	88.9 x 33.7	88.9 x 42.4	88.9 x 48.3	88.9 x 60.3	114.3 x 33.7	114.3 x 42.4	114.3 x 48.3	114.3 x 60.3	165.1 x 33.7	165.1 x 42.4	165.1 x 48.3
	Price	1010	967	967	967	967	1165	1165	1165	1165	1920	1920	1920
	Size (Inch)	6" x 2"	8" x 1"	8" x 1 1/4"	8" x 1 1/2"	8" x 2"							
	Dimensions (mm)	165.1 x 60.3	219.1 x 33.7	219.1 x 42.4	219.1 x 48.3	219.1 x 60.3							
	Price	1920	3213	3213	3213	3213							
Mechanical Cross Grooved Outlet	Size (Inch)	2" x 1"	2" x 1 1/4"	2" x 1 1/2"	2 1/2" x 1"	2 1/2" x 1 1/4"	2 1/2" x 1 1/2"	2 1/2" x 2"	3" x 1"	3" x 1 1/4"	3" x 1 1/2"	3" x 2"	3" x 2 1/2"
	Dimensions (mm)	60.3 x 33.7	60.3 x 42.4	60.3 x 48.3	76.1 x 33.7	76.1 x 42.4	76.1 x 48.3	76.1 x 60.3	88.9 x 33.7	88.9 x 42.4	88.9 x 48.3	88.9 x 60.3	88.9 x 76.1
XGQT 3SSG	Price	1076	1076	1076	1310	1310	1310	1310	1736	1736	1736	1736	1736
	Size (Inch)	4" x 1"	4" x 1 1/4"	4" x 1 1/2"	4" x 2"	4" x 2 1/2"	4" x 3"	6" x 1"	6" x 1 1/4"	6" x 1 1/2"	6" x 2"	6" x 2 1/2"	6" x 3"
	Dimensions (mm)	114.3 x 33.7	114.3 x 42.4	114.3 x 48.3	114.3 x 60.3	114.3 x 76.1	114.3 x 88.9	165.1 x 33.7	165.1 x 42.4	165.1 x 48.3	165.1 x 60.3	165.1 x 76.1	165.1 x 88.9
	Price	2418	2418	2418	2418	2418	2495	3211	3211	3211	3330	3330	3330
	Size (Inch)	6" x 4"	8" x 2"	8" x 2 1/2"	8" x 3"	8" x 4"							
	Dimensions (mm)	165.1 x 114.3	219.1 x 60.3	219.1 x 76.1	219.1 x 88.9	219.1 x 114.3							
	Price	3746	5015	5015	5015	5015							
Mechanical Cross Threaded Outlet	Size (Inch)	2" x 1"	2" x 1 1/4"	2" x 1 1/2"	2 1/2" x 1"	2 1/2" x 1 1/4"	2 1/2" x 1 1/2"	2 1/2" x 2"	3" x 1"	3" x 1 1/4"	3" x 1 1/2"	3" x 2"	4" x 1"
	Dimensions (mm)	60.3 x 33.7	60.3 x 42.4	60.3 x 48.3	76.1 x 33.7	76.1 x 42.4	76.1 x 48.3	76.1 x 60.3	88.9 x 33.7	88.9 x 42.4	88.9 x 48.3	88.9 x 60.3	114.3 x 33.7
XGQT 3SST	Price	995	995	995	1310	1310	1310	1310	1735	1735	1735	1735	2418
	Size (Inch)	4" x 1 1/4"	4" x 1 1/2"	4" x 2"	6" x 1"	6" x 1 1/4"	6" x 1 1/2"	6" x 2"					
	Dimensions (mm)	114.3 x 42.4	114.3 x 48.3	114.3 x 60.3	165.1 x 33.7	165.1 x 42.4	165.1 x 48.3	165.1 x 60.3					
	Price	2418	2418	2418	3212	3212	3212	3212					

DISCOUNT@50% ON ALL ITEMS. GST@18% EXTRA. PRICES NEGOTIABLE